

# ORD Airport -Proposed Concessions Utilities Matrix (RFP)

Updated: 05/10/2021



The utilities indicated below are subject to field verification by the Concessionaire. If additional utilities are needed, ORD base building has readily accessible utilities nearby for the Concessionaire to extend to their space at the Concessionaire's expense. All final design utility capacities must be submitted to CDA for review and coordination with the base building systems.

ORD Room No.	Description	Name Operator Store No.	Gate No.	Area SF.	Electrical Panel Info.	Electrical Meter ID	Elect. Meter Location	Domestic Water Meter ID	Gas	Data/Comm (D1)	HVAC (HV1)	Cooking Exhaust (EX1)	Fire Protection Ansul System	Fire Protection - Sprinkler (FP1)	Hot Water Heater (HW-P1, HW-G, HW-E)	Sanitary Waste	Grease Trap (GT1)	Kiosk (K1)
<b>Terminal 3</b>																		
<b>H&amp;K Proposed Space</b>																		
T3RT.U.11.A	Vacant (Former Argo Tea)		H1	364	200A	230175897	T3.U.8G.B (Land side)	BOH, T3RT.U.11.A	N/A	X	X			X	X	X	X	
T3.U.8EE.N	Vacant (Former Argo Tea)		K1	478	225A, 240V 3PH	230343942	T3.B.8Y.A	83441378 at BOH	N/A	X	X	X	X	X	X	X	X	K1
T3HK.U.9H.B	Vacant (Former Erwin Pearl)		HK Apex	253	100A, 240V, 3PH	230176663	T3.HK.M.9K.A Mezz. Elect	N/A	N/A	X	X			X				
<b>Terminal 5</b>																		
<b>M Proposed Space</b>																		
Space 01	Food & Beverage			2,490	New Elect Service	-	New Elect Meter	New Water Meter	New Gas Meter	X	X	X	X	X	X	X	X	
Space 05	Trevel Essentials & Coffee			1,297	New Elect Service	-	New Elect Meter	New Water Meter	N/A	X	X	X		X	X	X	X	
Space 06	Food & Beverage B			2,802	New Elect Service	-	New Elect Meter	New Water Meter	New Gas Meter	X	X	X	X	X	X	X	X	
Space 11	Specialty Retail/ Duty Free			1,815	New Elect Service	-	New Elect Meter	N/A	N/A	X				X				
Space 19	Food & Beverage B (D)			1,000	New Elect Service	-	New Elect Meter	New Water Meter	New Gas Meter	X	X	X	X	X	X	X	X	
Space 20-A	Wall Hugger			150	New Elect Service	-	New Elect Meter	N/A	N/A	X						X		
Space 20-B	Wall Hugger			150	New Elect Service	-	New Elect Meter	N/A	N/A	X						X		

**Notes:**

- D1 Data/Communication service is supplied through copper wiring. Fiber Glass distribution is need to be verified with latest upgrade
- EX1 Concessionaire provides Cooking exhaust hoods and fans.
- FP1 CDA provides modifications and installation at the Concessionaire's expense  
Concessionaire provides layout and required hydronic, CDA provides modifications and installation at the Concessionaire's expense
- GT1 Concessionaire provides grease traps
- HV1 CDA provides HVAC to each concessionaire at 50 D. F. Concessionaire provides VAV unit and distribution ductwork within space  
Concessionaire must provide HVAC design capacity CFM for CDA review and coordination
- K1 Kiosk, Base Bldg. provides general lighting, HVAC, & Fire Protection.  
Concessionaire is responsible for lighting, HVAC, & Fire Protection. Verify or request Base Bldg. modifications.  
CDA provides modifications and installation at the Concessionaire's expense
- HW-P1 HWH type is unknown, location is remote.
- HW-G Hot Water Heater -Gas
- HW-E Hot Water Heater -Elect.